




## Proton II

24 LED Street Projector, 80W





**ElectroMax**<sup>®</sup>  
WE ARE JUST MAKING LIGHTING RIGHT

## PROTON II



### APPLICATION




Residential



Commercial



Public



Sports fields

This product can be used successfully in various applications in different fields:

- Parking lot lighting
- Perimeter lighting
- Street lighting
- Sports field lighting



## TECHNICAL SPECIFICATIONS

Casing material	Anodized aluminum
Light diffuser	Clear polycarbonate
Casing color	Standard: GREY Other colors available on demand
Power supply	Standard: 90-260V AC, 50-60 Hz
Number of LEDs	24
Total power	80W
Driver	Included (Inside the body case)
COD PRODUS	ST-080



## DESCRIPTION

- The street projector was designed for type ME4 streets.
- It uses high power LEDs that give a higher luminous flux.
- Designed and manufactured in Romania



## TECHNICAL SPECIFICATIONS

- The casing is made of powder coated aluminum.
- The diffuser is made of 3 mm thick UV protected clear polycarbonate.
- It can be mounted on a vertical pole, console or any flat surface.
- The mounting systems allows for rotation at  $\pm 45^\circ$  angle.



## PHOTOMETRIC CHARACTERISTICS

- Color rendering index: 80 for WN and 70 for WH
- Powerful Osram LED with a lifespan of 100.000 hours
- Special designed lenses



## ELECTRICAL CHARACTERISTICS

- Standard power supply 90-230V AC, 50/60Hz
- Electrical safety class I
- Power factor  $>0,95$
- Total harmonic distortion  $<20\%$




## OPERATING ENVIRONMENT

- Rated operating temperature from  $-20\text{ }^{\circ}\text{C}$  up to  $+40\text{ }^{\circ}\text{C}$ .
- The ingress protection rating is IP 66.
- The impact protection rating is IK 10.



## DIMENSIONAL CHARACTERISTICS

- 355 x 248 mm
- Weight 3,6kg



### Street focus ( S )

---