





Medium intensity




QUASAR-Baliza Medium Intensity, Tip B





ElectroMax[®]
WE ARE JUST MAKING LIGHTING RIGHT

MEDIUM
INTENSITY





SPECIFICATII TEHNICE

Material carcasa	Aluminiu vopsit in camp electrostatic
Dispersor	Polycarbonat transparent
Culoare carcasa	Standard: GALBEN AVIATIE (RAL 1004)
Alimentare	Standard: 110-230 V AC 12V, 24V or 48V DC
Culoare lumina	Rosu
Intensitate lumina	2000cd
Putere totala	45W
Numar LEDuri	36



DESCRIERE

- Baliza Medium Intesity de Tip B emite lumina rosie pulsatorie si se foloseste pentru balizarea obstacolelor pe timp de noapte.
- Proiectat si fabricat in Romania.



SPECIFICATII TEHNICE

- Carcasa din aluminiu extrudat pentru un management termic adecvat.
- Dispersorul este realizat din polycarbonat transparent.
- Prinderea se face pe suprafata orizontala.
- Baliza are senzorul crepuscular incorporat.



CARACTERISTICI FOTOMETRICE

- Sursa de lumina : LED-uri de inalta intensitate
- Caracteristicile fotometrice sunt conform ICAO, Anexa 14, paragraph 6, tabel 6.3
- Intensitatea luminoasa la 3° pentru lumina rosie este de 2000 cd.



MEDIU DE FUNCTIONARE

- Temperatura de functionare nominala de la -20 pana la +40 °C.
- Gradul de protectie la impact este IK10.
- Gradul de protectie la apa si praf este IP65.



CARACTERISTICI ELECTRICE

- Alimentare: 110-230V AC, 50/60Hz
- 12V, 24V, 48V DC
- Consum maxim: 45W



CARACTERISTICI DIMENSIONALE

- 303 x 240 mm
- Greutate maxim 6kg