





Medium intensity


QUASAR-Baliza Medium Intensity, Tip A





ElectroMax[®]
WE ARE JUST MAKING LIGHTING RIGHT

MEDIUM
INTENSITY



DOMENIU DE UTILIZARE



Balizaj

Acest produs poate fi folosit cu succes in diferite aplicatii din diverse domenii:

- Iluminat de balizaj



SPECIFICATII TEHNICE

Material carcasa	Anodized aluminum
Dispersor	Clear polycarbonate
Culoare carcasa	Standard: AVIATION YELLOW (RAL 1004)
Alimentare	Standard: 110-230 V AC 12V, 24V or 48V DC
Culoare lumina	ALB
Intensitate lumina	20000cd
Putere totala	280W
Numar LEDuri	60



DESCRIERE

- Baliza Medium Intesity de Tip A emite lumina alba pulsatorie si se foloseste pentru balizarea obstacolelor pe timp de zi.
- Proiectat si fabricat in Romania.



CARACTERISTICI FOTOMETRICE

- Sursa de lumina : LED-uri de inalta intensitate
- Caracteristicile fotometrice sunt conform ICAO, Anexa 14, paragraph 6, tabel 6.3
- Intensitatea luminoasa la 3° pentru lumina alba este de 20000 cd



MEDIU DE FUNCTIONARE

- Temperatura de functionare nominala de la -20 pana la +40 °C.
- Gradul de protectie la impact este IK10.
- Gradul de protectie la apa si praf este IP65.



SPECIFICATII TEHNICE

- Carcasa din aluminiu extrudat pentru un management termic adecvat.
- Dispersorul este realizat din policarbonat transparent.
- Prinderea se face pe suprafata orizontala.



CARACTERISTICI ELECTRICE

- Alimentare: 110-230V AC, 50/60Hz
- 12V, 24V, 48V DC
- Consum maxim: 280W



CARACTERISTICI DIMENSIONALE

- 303 x 240 mm
- Greutate 7kg