


## Protect

Safety Lighting LS-09, without emergency kit







## APPLICATION



Offices



Schools



Hospitals

This product can be used successfully in various applications in different fields:

- Safety lighting





## TECHNICAL SPECIFICATIONS

Casing material	Anodized aluminum
Light diffuser	Clear polycarbonate
Casing color	Standard: WHITE
Number of LEDs	4
COD PRODUS	LS-009



## DESCRIPTION

- This product doesn't contain an emergency kit.
- The lettering of the diffuser may be different depending on customer requirements.
- Designed and manufactured in Romania



## TECHNICAL SPECIFICATIONS

- Casing is made of powder coated aluminium.
- It can be mounted on any flat surface vertical or horizontal that can allow embedding
- The diffuser is made of 3 mm thick UV protected clear polycarbonate.



## OPERATING ENVIRONMENT

- The ingress protection rating is IP 65.
- Rated operating temperature from -20 °C up to +40 °C



## PHOTOMETRIC CHARACTERISTICS

-



The product uses 4 high power Osram LEDs.

- The colour used is cool white(5000K).



## ELECTRICAL CHARACTERISTICS



- Standard power supply 230V AC
- Electrical safety class III



## DIMENSIONAL CHARACTERISTICS

- 300 x 100 x75mm
- Greutate 0,5kg





### Omnidirectional focus ( O )

---