


# Moon




## LED Park Lamp





**ElectroMax**<sup>®</sup>  
WE ARE JUST MAKING LIGHTING RIGHT

MOON



APPLICATION



Residential

This product can be used successfully in various applications in different fields:

- Perimeter lighting
- Pathway lighting
- Park lighting
- General lighting



## TECHNICAL SPECIFICATIONS

Casing material	Material plastic
Light diffuser	PMMA semitransparent
COD PRODUS	LO-036
Power supply	Standard: 230 V AC
Total power	20W 30W
Driver	Included
Number of LEDs	8 12 1COB



## DESCRIPTION

- This LED Projector has a spherical glass diffuser made of semitransparent PMMA and is suitable for park lighting, peripheral lighting, access ways
- Designed and manufactured in Romania.



## TECHNICAL SPECIFICATIONS

- Mounting is done on a vertical pole or simple/double console.
- Two available sizes: 300mm diameter and 190mm diameter.
- You can also opt for 1 COB LED.



## PHOTOMETRIC CHARACTERISTICS

- Powerful Osram LED with a lifespan of 100.000 hours
- Color rendering index: 80 for WN and WW and 70 for WH



## OPERATING ENVIRONMENT

- Rated operating temperature from -20 °C up to +40 °C.

- The ingress protection rating is IP 66.





## ELECTRICAL CHARACTERISTICS

- Electrical safety class I
- Standard power supply 230V AC 60Hz



## DIMENSIONAL CHARACTERISTICS

D - 300mm or 190mm



### Omnidirectional focus ( O )

---