




Gardena



15 LED Garden Projector, ground mounted





ElectroMax[®]
WE ARE JUST MAKING LIGHTING RIGHT

GARDENA




APPLICATION



Commercial



Residential



Public

This product can be used successfully in various applications in different fields:

- Garden lighting



TECHNICAL SPECIFICATIONS

Casing material	Anodized aluminum
Light diffuser	Clear polycarbonate
Casing color	Standard: GREY Other colors available on demand
Power / LED	0.65W
Total power	10W
Driver	External



DESCRIPTION

- With a modern design, the projector can be mounted on any horizontal surface.
- This ornamental LED projector has a small size and due to LED very long lifespan, it is virtually maintenance-free.
- Designed and manufactured in Romania
- The reflector has a very robust build.



PHOTOMETRIC CHARACTERISTICS

- The luminous flux depends on the LED's colour. For the white colour it has a min. value of 100 lm/W, whether it is warm white, neutral white or cool white.
- Color rendering index: 80 for WN and WW and 70 for WH



TECHNICAL SPECIFICATIONS

- The casing is made of powder coated aluminium.
- Mounting system is made of stainless steel.
- The diffuser is made of clear polycarbonate.



ELECTRICAL CHARACTERISTICS

- Electrical insulation class III
- Power cable length 2m
- Standard power supply 230V AC, 50/60 Hz



OPERATING ENVIRONMENT

- The ingress protection rating is IP 66.
- Nominal operating temperature from -20 to +40 °C



DIMENSIONAL CHARACTERISTICS

- 380 x 160 mm
- Weight 1,3kg